

Appeal Period Expires 7/21/13
 Zoning District R1

Town of Essex, Vermont
Application for Zoning Permit
 www.essex.org

Application Date 7/1/13
 Permit Number 2013-109

All construction is to be completed in accordance with the Town of Essex Zoning Regulations and any/all federal or state regulations now in effect. You are required to post this permit in a conspicuous location on the property during the appeal period and it must remain posted throughout the construction period. **You are required to contact the necessary state agencies to obtain state permits @ 879-5676.**

Any interested person may appeal the decision of the Zoning Administrator to the Zoning Board of Adjustment within fifteen (15) days of the permit's date of issuance. Commencing construction within this fifteen (15) day appeal period is prohibited by law.

Signed: Donna J. Piche

A Parcel Account Num. (Map-Parcel-Lot) 2- 011-018-009
 (found in Town Assessor's Office)
 Property Address: 113 Bixby Hill Rd
 Owner: Donna Piche Raymond III Renee
 Owner Address: 119 Bixby Hill Rd, Essex Jct
 Owner Phone: (work) 802-879-7629 (home) _____
 (cell) _____ (Email) _____
 Contractors name: Ray Piche Gen Contracting Phone: _____
802 314 6675 Cell: 75
 Estimated Construction Dates: Start: 07/03/13 Completion: 07/03/14
 Sq. Feet: _____ Estimated Cost (labor & materials): \$ _____

G

Check box(es) which describe proposed use or construction (circle choice in parenthesis).
 N = New A = Addition R = Remodel

<i>Residential:</i>	<i>renewal</i>	N	A	R
Single Family		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Two-family (duplex)(other)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Multi-family		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Condominium / Townhouse		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mobile home		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Inclusions or Additions:</i>				
Garage (attached) (detached)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Porch (enclosed) (open)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Deck		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool (in) (above) ground		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shed		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Barn (residential) (agriculture)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Non-residential:</i>				
Commercial / Industrial		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Stormwater:</i>				
Stormwater		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Erosion Control		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Other:</i>				
Change in use <i>Accessory apt</i>		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Miscellaneous <i>renewal</i>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Renewal		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

B Sewage Disposal (Please attach Sewer or Septic Application).
 Public Private Connection Fee \$ _____ Date Paid: 1/1
 Proposed New Bedrooms: _____ Existing Bedrooms see permit # 2012-119

C Water (Please attach Water Service Application).
 Public Private Fee \$ _____ Date Paid: 1/1

D Driveway (Please attach copy of approved Curbcut / Utility Application).
 Date of approval 1/1/13

E Stormwater
 Project disturbs an area greater than or equal to 1 acre – Erosion Control Permit Required. Attach completed permit application.
 Project creates new or expands existing impervious surface greater than or equal to 1/2 acre – Erosion Control Permit and Stormwater Management Permit required. Attach completed permit application.

F Diagram – Show a sketch of project on reverse of this application with property lines, building, and setbacks or attach separate sheet. (Instruction sheet available upon request.)
Renew permit # 2012-119

G Signature of Tenant and Signature of Owner Donna J. Piche

Office Use Only

Fees:	Type	Amount	Date Pd
Permit		\$ <u>50.00</u>	<u>7/3/13</u>
Recreation		\$ _____	<u>1/1</u>
Recording		\$ <u>10.00</u>	<u>7/3/13</u>
Certificate of Occ		\$ _____	<u>1/1</u>
Other		\$ _____	<u>1/1</u>

Building Permit
 Approved Rejected Date 7/3/13
 Issued to: The Piches
 Zoning Administrator: Sharon Kelly
 Notes: _____

C.O. Required Yes No

THIS PERMIT VALID FOR TWELVE (12) MONTHS FROM DATE OF ISSUE



State of Vermont
Department of Environmental Conservation
Drinking Water and Groundwater Protection Division
Essex Regional Office
111 West Street
Essex Junction, VT 05452-4695
www.septic.vt.gov

Agency of Natural Resources
[phone] 802-879-5656
[fax] 802-879-3871

July 1, 2013

Raymond III, Donna & Renee Piche
119 Bixby Hill Road
Essex VT 05452

Dear Applicant:

Subject: Wastewater System and Potable Water Supply Permit #WW-4-2979-1 for a project located in Essex, Vermont.

Enclosed you will find:

1. The WW-4-2979-1 Permit document marked "Documents For Recording".
2. The corresponding plans referenced in the permit for your records.
3. A copy of permit document for your records.

Please read your permit thoroughly and be sure you understand all the requirements. **Be aware that failure to submit any permit-required installation certifications will render your permit invalid and will cause problems during any future title searches done on this property.**

You are required to file this permit with your town clerk within 30 days of issuance of the permit. Please take the document stamped "Documents For Recording" to your town clerk. You will be required to pay a recording fee to your town clerk at that time. Failure to file the permit with your town clerk will cause problems during any future title searches done on this property.

You may either contact your consultant for additional copies of the approved plans or you may obtain a copy of them, when they become available on the internet, by accessing our website www.septic.vt.gov and using the document search option. You may print out any documents or plans that you view. Thank you for your cooperation. If you have any questions, please contact me at the above address.

Sincerely,

William E. Zabiloski
Assistant Regional Engineer

Enclosures



WASTEWATER SYSTEM AND POTABLE WATER SUPPLY PERMIT**LAWS/REGULATIONS INVOLVED**

10 V.S.A. Chapter 64, Potable Water Supply and Wastewater System Permit
Wastewater System and Potable Water Supply Rules, Effective September 29, 2007
Chapter 21, Water Supply Rules, Effective December 1, 2010

Landowners: Raymond III, Donna & Renee Piche
119 Bixby Hill Road
Essex VT 05452

Permit Number: WW-4-2979-1
PIN: EJo8-0013

This permit affects property identified as Town Tax Parcel ID # Essex: 2011018004 referenced in the deed recorded in Book 340 Pages 625-626 of the Land Records in Essex, Vermont.

This project, consisting of a three bedroom single family residence and a one bedroom apartment, utilizing an existing (with modifications), on-site mound wastewater disposal system and existing, on-site drilled well water supply (previously approved in Permit # WW-4-2979), located at 113 Bixby Hill Road in Essex, Vermont, is hereby approved under the requirements of the regulations named above subject to the following conditions.

1. GENERAL

- 1.1 The project shall be completed as shown on the plans and/or documents prepared by JH Stuart Associates (John H. Stuart), with the stamped plans listed as follows:

Drawing	Title	Plan Date	Plan Revision Date
1 of 1	Wastewater System Plans and Specifications	11/01/2007	06/26/2013

- 1.2 This permit does not relieve the landowner from obtaining all other approvals and permits PRIOR to construction including, but not limited to, those that may be required from the Act 250 Environmental Commission; the Drinking Water and Groundwater Protection Division; the Watershed Management Division; the Division of Fire Safety; the Vermont Department of Health; the Family Services Division; or other State departments and local officials.
- 1.3 The conditions of this permit shall run with the land and will be binding upon and enforceable against the landowner and all assigns and successors in interest. The landowner shall record and index this permit in the Essex Land Records within thirty, (30) days of issuance of this permit and prior to the conveyance of any lot subject to the jurisdiction of this permit.
- 1.4 The landowner shall record and index all required installation certifications and other documents that are required to be filed under these Rules or under a specific permit condition in the Essex Land Records and ensure that copies of all certifications are sent to the Secretary.
- 1.5 No permit issued by the Secretary shall be valid for a substantially completed wastewater system until the Secretary receives a signed and dated certification from a qualified Vermont Licensed Designer (or where allowed, the installer) that states:

"I hereby certify that, in the exercise of my reasonable professional judgment, the installation-related information submitted is true and correct and the wastewater system was installed in accordance with the permitted design and all the permit conditions, were inspected, were properly tested, and have successfully met those performance tests",

or which otherwise satisfies the requirements of §1-308 and §1-911 of the referenced rules.



- 1.6 The project/lot is approved for a three bedroom single family residence and a one bedroom apartment. Construction of additional nonexempt buildings, including commercial and residential buildings, is not allowed without prior review and approval by the Drinking Water and Groundwater Protection Division and such approval will not be granted unless the proposal conforms to the applicable laws and regulations. No construction is allowed that will cause non-compliance with an existing permit.
- 1.7 Each purchaser of any portion of the project shall be shown a copy of the Wastewater System and Potable Water Supply Permit and the stamped plan(s), if applicable, prior to conveyance of any portion of the project to that purchaser.
- 1.8 By acceptance of this permit, the landowner agrees to allow representatives of the State of Vermont access to the property covered by the permit, at reasonable times, for the purpose of ascertaining compliance with the Vermont environmental and health statutes and regulations, and permit conditions.
- 1.9 Any person aggrieved by this permit may appeal to the Environmental Court within 30 days of the date of issuance of this permit in accordance with 10 V.S.A. Chapter 220 and the Vermont Rules of Environmental Court Proceedings.

2. WATER SUPPLY

- 2.1 The project/lot is authorized to utilize the existing on-site water supply system having a maximum design flow of **560 gallons** per day provided the potable water supply is operated at all times in a manner that keeps the supply free from contamination. No changes shall be made to the existing water system unless prior approval is obtained from the Drinking Water and Groundwater Protection Division. No other means of obtaining potable water shall be allowed without prior review and approval by the Drinking Water and Groundwater Protection Division unless otherwise exempt. The landowner shall immediately notify the Division if the water supply system fails to function properly and becomes a "failed supply".


3. WASTEWATER DISPOSAL

- 3.1 This project/lot is approved for the disposal of wastewater in accordance with the design depicted on the stamped plan(s) for a maximum of **560 gallons** of wastewater per day. The system(s) shall be operated at all times in a manner that will not permit the discharge of effluent onto the surface of the ground or into the waters of the State. Should the system fail and not qualify for the minor repair or replacement exemption, the current landowner shall engage a qualified Vermont Licensed Designer to evaluate the cause of the failure and to submit an application to this office and receive written approval prior to correcting the failure.
- 3.2 The components of the sanitary wastewater system herein approved shall be routinely and reliably inspected during construction by a Vermont Licensed Designer (or where allowed, the installer) who shall, upon completion and prior to occupancy of the associated building, report in writing to the Drinking Water and Groundwater Protection Division that the installation was accomplished in accordance with the referenced plans and permit conditions, as specifically directed in Condition #1.5 herein.
- 3.3 The project/lot is approved for the existing mound wastewater disposal system (with modifications), provided the mound is constructed in strict accordance with the following conditions:
 - a. The mound system is to be located and constructed as depicted on the plans that have been stamped by the Drinking Water and Groundwater Protection Division.
 - b. A qualified Vermont Licensed Designer shall inspect the mound system during critical stages of construction. This shall include the staking of the location of the mound, ensuring the site has been properly plowed prior to placement of the appropriate sand fill, the installation and testing of the distribution piping, final grading of the mound including side slopes, and pump station installation.
 - c. The construction of the mound shall adhere to the guidelines set forth in Section 1-913(f) of the above referenced rules.
- 3.4 Upon completion of construction, and prior to occupancy of any structure being served by the mound system, the inspecting consultant shall submit to the Drinking Water and Groundwater Protection Division a written certification stating the construction has been completed in accordance with the stamped plans and the permit.
- 3.5 The corners of the proposed modified wastewater disposal area shall be accurately staked out and flagged prior to construction with the flagging/staking being maintained until construction is complete.

Wastewater System and Potable Water Supply Permit
TW-4-2979-1

- .6 The wastewater system for this project is approved for domestic type wastewater only except as allowed for water treatment discharges. No discharge of other type process wastewater is permitted unless prior written approval is obtained from the Drinking Water and Groundwater Protection Division.
- 3.7 No buildings, roads, water lines, earthwork, re-grading, excavation or other construction that might interfere with the installation or operation of the wastewater disposal systems are allowed on or near the site-specific wastewater disposal system or replacement area depicted on the stamped plans. All isolation distances that are set forth in the Wastewater System and Potable Water Supply Rules shall be adhered to and will be incorporated into the construction and installation of the wastewater disposal field.

David K. Mears, Commissioner
Department of Environmental Conservation

By 
William E. Zabiloski, Assistant Regional Engineer
Dated July 1, 2013

cc Essex Planning Commission
JH Stuart Associates
Department of Public Safety, Division of Fire Safety

2013-109
JDana Egregy BSharon

WASTEWATER SYSTEM AND POTABLE WATER SUPPLY PERMIT

file
w/ permit

LAWS/REGULATIONS INVOLVED

10 V.S.A. Chapter 64, Potable Water Supply and Wastewater System Permit
Wastewater System and Potable Water Supply Rules, Effective September 29, 2007
Chapter 21, Water Supply Rules, Effective December 1, 2010

Landowners: Raymond III, Donna & Renee Piche
119 Bixby Hill Road
Essex VT 05452

Permit Number: WW-4-2979-1
PIN: EJo8-0013

This permit affects property identified as Town Tax Parcel ID # Essex: 2011018004 referenced in the deed recorded in Book 340 Pages 625-626 of the Land Records in Essex, Vermont.

This project, consisting of a three bedroom single family residence and a one bedroom apartment, utilizing an existing (with modifications), on-site mound wastewater disposal system and existing, on-site drilled well water supply (previously approved in Permit # WW-4-2979), located at 113 Bixby Hill Road in Essex, Vermont, is hereby approved under the requirements of the regulations named above subject to the following conditions.

1. GENERAL

1.1 The project shall be completed as shown on the plans and/or documents prepared by JH Stuart Associates (John H. Stuart), with the stamped plans listed as follows:

Drawing	Title	Plan Date	Plan Revision Date
1 of 1	Wastewater System Plans and Specifications	11/01/2007	06/26/2013

1.2 This permit does not relieve the landowner from obtaining all other approvals and permits PRIOR to construction including, but not limited to, those that may be required from the Act 250 Environmental Commission; the Drinking Water and Groundwater Protection Division; the Watershed Management Division; the Division of Fire Safety; the Vermont Department of Health; the Family Services Division; or other State departments and local officials.


1.3 The conditions of this permit shall run with the land and will be binding upon and enforceable against the landowner and all assigns and successors in interest. The landowner shall record and index this permit in the Essex Land Records within thirty, (30) days of issuance of this permit and prior to the conveyance of any lot subject to the jurisdiction of this permit.

1.4 The landowner shall record and index all required installation certifications and other documents that are required to be filed under these Rules or under a specific permit condition in the Essex Land Records and ensure that copies of all certifications are sent to the Secretary.

1.5 No permit issued by the Secretary shall be valid for a substantially completed wastewater system until the Secretary receives a signed and dated certification from a qualified Vermont Licensed Designer (or where allowed, the installer) that states:

"I hereby certify that, in the exercise of my reasonable professional judgment, the installation-related information submitted is true and correct and the wastewater system was installed in accordance with the permitted design and all the permit conditions, were inspected, were properly tested, and have successfully met those performance tests",

or which otherwise satisfies the requirements of §1-308 and §1-911 of the referenced rules.



- 1.6 The project/lot is approved for a three bedroom single family residence and a one bedroom apartment. Construction of additional nonexempt buildings, including commercial and residential buildings, is not allowed without prior review and approval by the Drinking Water and Groundwater Protection Division and such approval will not be granted unless the proposal conforms to the applicable laws and regulations. No construction is allowed that will cause non-compliance with an existing permit.
- 1.7 Each purchaser of any portion of the project shall be shown a copy of the Wastewater System and Potable Water Supply Permit and the stamped plan(s), if applicable, prior to conveyance of any portion of the project to that purchaser.
- 1.8 By acceptance of this permit, the landowner agrees to allow representatives of the State of Vermont access to the property covered by the permit, at reasonable times, for the purpose of ascertaining compliance with the Vermont environmental and health statutes and regulations, and permit conditions.
- 1.9 Any person aggrieved by this permit may appeal to the Environmental Court within 30 days of the date of issuance of this permit in accordance with 10 V.S.A. Chapter 220 and the Vermont Rules of Environmental Court Proceedings.

2. WATER SUPPLY

- 2.1 The project/lot is authorized to utilize the existing on-site water supply system having a maximum design flow of **560 gallons** per day provided the potable water supply is operated at all times in a manner that keeps the supply free from contamination. No changes shall be made to the existing water system unless prior approval is obtained from the Drinking Water and Groundwater Protection Division. No other means of obtaining potable water shall be allowed without prior review and approval by the Drinking Water and Groundwater Protection Division unless otherwise exempt. The landowner shall immediately notify the Division if the water supply system fails to function properly and becomes a "failed supply".

3. WASTEWATER DISPOSAL

- 3.1 This project/lot is approved for the disposal of wastewater in accordance with the design depicted on the stamped plan(s) for a maximum of **560 gallons** of wastewater per day. The system(s) shall be operated at all times in a manner that will not permit the discharge of effluent onto the surface of the ground or into the waters of the State. Should the system fail and not qualify for the minor repair or replacement exemption, the current landowner shall engage a qualified Vermont Licensed Designer to evaluate the cause of the failure and to submit an application to this office and receive written approval prior to correcting the failure.
- 3.2 The components of the sanitary wastewater system herein approved shall be routinely and reliably inspected during construction by a Vermont Licensed Designer (or where allowed, the installer) who shall, upon completion and prior to occupancy of the associated building, report in writing to the Drinking Water and Groundwater Protection Division that the installation was accomplished in accordance with the referenced plans and permit conditions, as specifically directed in Condition #1.5 herein.
- 3.3 The project/lot is approved for the existing mound wastewater disposal system (with modifications), provided the mound is constructed in strict accordance with the following conditions:
 - a. The mound system is to be located and constructed as depicted on the plans that have been stamped by the Drinking Water and Groundwater Protection Division.
 - b. A qualified Vermont Licensed Designer shall inspect the mound system during critical stages of construction. This shall include the staking of the location of the mound, ensuring the site has been properly plowed prior to placement of the appropriate sand fill, the installation and testing of the distribution piping, final grading of the mound including side slopes, and pump station installation.
 - c. The construction of the mound shall adhere to the guidelines set forth in Section 1-913(f) of the above referenced rules.
- 3.4 Upon completion of construction, and prior to occupancy of any structure being served by the mound system, the inspecting consultant shall submit to the Drinking Water and Groundwater Protection Division a written certification stating the construction has been completed in accordance with the stamped plans and the permit.
- 3.5 The corners of the proposed modified wastewater disposal area shall be accurately staked out and flagged prior to construction with the flagging/staking being maintained until construction is complete.

Wastewater System and Potable Water Supply Permit
W-4-2979-1

- .6 The wastewater system for this project is approved for domestic type wastewater only except as allowed for water treatment discharges. No discharge of other type process wastewater is permitted unless prior written approval is obtained from the Drinking Water and Groundwater Protection Division.
- 3.7 No buildings, roads, water lines, earthwork, re-grading, excavation or other construction that might interfere with the installation or operation of the wastewater disposal systems are allowed on or near the site-specific wastewater disposal system or replacement area depicted on the stamped plans. All isolation distances that are set forth in the Wastewater System and Potable Water Supply Rules shall be adhered to and will be incorporated into the construction and installation of the wastewater disposal field.

David K. Mears, Commissioner
Department of Environmental Conservation

By 
William E. Zabiloski, Assistant Regional Engineer
Dated July 1, 2013

cc Essex Planning Commission
JH Stuart Associates
Department of Public Safety, Division of Fire Safety