

Appeal Period Expires 10/25/25  
Zoning District C1

**Town of Essex, Vermont**  
**Application for Zoning Permit**  
(Building Permit)

Application Date 1/1/25  
Permit Number 2025-185

- Contact State Permit Specialist Jeff McMahon (477-2241) to check for state permitting and/or setbacks.
- Post permit card visible to the road immediately as Permit is appealable within 15 days of issuance.
- Call the Zoning Administrator at 878-1343 to schedule a Certificate of Occupancy inspection if indicated below as required.
- Call the Assessor at 878-1345 to schedule a re-assessment upon completion of work.
- Provide a diagram showing proposal and any easements, well or septic locations, etc.

**SIGN HERE: Kaitlyn Bushey**

Digitally signed by Kaitlyn Bushey  
Date: 2025.09.07 06:54:33 -04'00'

*Kaitlyn Bushey*

Parcel Account Numb. (Map-Parcel-Lot) 2-017-001-002

Property Address: 67 Brigham Hill Lane, Essex

Owner: White Bushey & Kaitlyn Bushey

Owner Address: 40 Rollin Irish Rd, Milton VT

Owner Phone: (work) \_\_\_\_\_ (Cell) 802-999-1867

(Email) brighamhillmaple@gmail.com

Tenants name: Al Bushey

Phone: \_\_\_\_\_

(or contractor)

Cell: 802-316-6621

Estimated Construction Dates: Start 10/1/25; Completion: 10/1/26

Sq. Feet: 2192 Estimated Cost (labor & materials): \$400,000

**G**

Check box(es) which describe proposed use or construction (circle choice in parenthesis).

**N = New A = Addition R = Remodel**

Residential:

	N	A	R
Single Family	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Two-family (duplex)(other)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Multi-family	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Condominium / Townhouse	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mobile home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Inclusions or Additions:

Garage (attached)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Porch (enclosed) (open)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Deck	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool (in) (above) ground	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Barn (residential) (agriculture)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Non-residential:			
Commercial / Industrial	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stormwater:			
Stormwater	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Erosion Control	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other:			
Change in use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Miscellaneous	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Renewal	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**B** Sewage Disposal (Please attach Sewer and/or State Septic Approval).

Public  Septic  Connection Fee \$ \_\_\_\_\_ Date Paid: 1/1/25

Proposed New Bedrooms: 3 Existing Bedrooms 0

**C** Water (Please attach Water Service Application if applicable).

Public  Well  Fee \$ \_\_\_\_\_ Date Paid: 1/1/25

**D** Driveway (Please attach copy of approved Curbcut / Utility Application).

Date of approval: 9/11/25 use existing, curbcut form attached

**E** Stormwater

Project disturbs an area greater than or equal to 1 acre – Erosion Control Permit Required. Attach completed permit application.

Project creates new or expands existing impervious surface greater than or equal to 1/2 acre – Erosion Control Permit and Stormwater Management Permit required. Attach completed permit application.

**F** Diagram – Show a sketch of project on reverse of this application with property lines, building, and setbacks or attach separate sheet.

*\* Note Curbcut conditions need to be satisfied prior to C.O.*

Signature of Tenant and  
Signature of Owner

*Kaitlyn Bushey*  
**Kaitlyn Bushey**

Digitally signed by Kaitlyn Bushey  
Date: 2025.09.07 06:54:18 -04'00'

**Office Use Only**

Fees:	Type	Amount	Date Pd
Permit		<u>\$1080</u>	<u>1/1/25</u>
Recreation		<u>\$628</u>	
Recording		<u>\$30</u>	<u>9/10/25</u>
Certificate of Occ		<u>\$160</u>	
Other	<u>fire</u>	<u>\$1004</u>	

**Building Permit**

Approved  Rejected  Date 10/10/25

Issued to: AG White Bushey + K Bushey

Zoning Administrator: Sharon Kelley

Notes: \_\_\_\_\_

RIBES Info Given

C.O. Required (Certificate of Occupancy) Yes  No

**THIS PERMIT VALID FOR TWELVE (12) MONTHS FROM DATE OF ISSUE  
RENEW FOR 1 YEAR (FREE) IF NOT EXPIRED**

02/13/17

**TOWN OF ESSEX, VERMONT  
APPLICATION FOR CURB CUT / UTILITY PERMIT**

Pursuant to Title 19 V.S.A. Section 43. Application for curb cut and Utility Installation in Town Right-of-Way

All applications for curb cuts and utility installations shall be submitted to the Director of Public Works / Town Engineer for review. Applicants shall submit the information requested on this form and any additional information requested by the Director of Public Works / Town Engineer for a clear understanding of this application. The permit is issued under authority of the Town Manager in accordance with Section 601 of the Town Charter and 24 V.S.A. paragraph 1236 (2).

Application No. \_\_\_\_\_ Date 1 SEPT 11, 2025  
Property Address: 67 Brigham Hill Lane  
Owner Address: 40 Rollin Irish Rd, Milton  
Owner Name: Al + Kailyn Bushey  
Phone Number: (home) 802-316-6621 (work) \_\_\_\_\_ (cell) 802-999-1867  
Tax Map # 017 Tax Parcel 001 Tax Lot 002

Application is for: (check one)

A) New Curb Cut  B) Utility Installation: Overhead  Underground

Please use attached diagram to describe location and type of installation.

Comments by Director of Public Works / Town Engineer:

Culvert: Yes  No  Water Bar(s): Yes  No

Culvert Diameter: (18 inch minimum) \_\_\_\_\_ Total length of Culvert: (30 foot minimum) \_\_\_\_\_

Signature of Owner:

Kailyn Bushey

\*\*\* FOR OFFICE USE ONLY \*\*\*

Fee Paid \$ N/A

Approved  Rejected  SEE CONDITIONS.


David Sheehan

Per Authority of the Town Manager by the Director of Public Works / Town Engineer

1. Culvert must be HIGH DENSITY POLYETHYLENE (HDPE) PIPE
2. Culvert will be purchased by the Applicant  
Culvert will be purchased and installed by the applicant. The Town of Essex Department of Public Works will inspect.
- 3.

Note: A MINIMUM OF 24 HOURS NOTICE IS REQUIRED PRIOR TO COMMENCEMENT OF CONSTRUCTION. WITHIN 24 HOURS OF COMPLETION, THE APPLICANT IS REQUIRED TO NOTIFY THE DIRECTOR OF PUBLIC WORKS / TOWN ENGINEER FOR INSPECTION PURPOSES.


# Existing curb cut



Comments and / or special instructions from Director of Public Works / Town Engineer :

- THE DITCH TO THE EXISTING CROSS CULVERT IS TO BE REESTABLISHED (SEE GRASS LINED SWALE DETAIL.)
- "HUMP" AREA IS TO BE CLEARED OF TREES AND LOWERED TO PROVIDE 250 FT OF SIGHT DISTANCE THIS MAY REQUIRE LEDGE REMOVAL
- APRON IS TO BE CONSTRUCTED AS PER DETAIL A-10 AND GRADED AS PER DETAIL A-9.
- A DRIVEWAY CULVERT IS NOT NECESSARY.
- INSPECTION IS REQUIRED AT SUBGRADE EXCAVATION AND AT FINAL.

**NOTE:** A MINIMUM OF 24 HOURS IS REQUIRED PRIOR TO COMMENCEMENT OF CONSTRUCTION. WITHIN 24 HOURS OF COMPLETION, THE APPLICANT IS REQUIRED TO NOTIFY THE DIRECTOR OF PUBLIC WORKS / TOWN ENGINEER FOR INSPECTION PURPOSES.



NOTES :

- 1) DRIVE WIDTHS SHALL BE AS FOLLOWS  
 SINGLE DRIVE: 10 FEET (MIN.)  
 DOUBLE DRIVE: 15 FEET (MAX.)  
 COMMERCIAL DRIVE: 40 FEET (MAX.)
- 2) EDGE OF PAVEMENT RADII  
 MAJOR / COLLECTOR ROAD: 30 FEET  
 MINOR ROAD / DEAD END: 25 FEET  
 COMMERCIAL / INDUSTRIAL: 30 FEET (MIN.)
- 3) MAXIMUM DRIVE GRADE SHALL BE 3%  
 FROM PVI TO EDGE OF SHOULDER




TOWN OF ESSEX  
 PUBLIC WORKS  
 81 MAIN STREET  
 ESSEX JCT., VT  
 05452  
 P: 802 878-1344  
 F: 802 878-1355  
 E: www.essex.org

TOWN OF ESSEX, VERMONT  
 STANDARD SPECIFICATIONS FOR CONSTRUCTION

RURAL DRIVEWAY

Detail No: 100.09  
 Scale: NOT TO SCALE  
 Date: JAN. 2017

A-9



**NOTES:**

1. THE TYPE A STANDARD DRIVEWAY SECTION IS TO BE USED FOR DRIVEWAYS SERVING ONE TO TWO DWELLINGS.
2. THE MINIMUM WIDTH OF A TYPE A DRIVE SHALL BE 10' AND THE MAXIMUM WIDTH SHALL BE 15'.
3. INSTALL SURFACE DRAINAGE AS REQUIRED. REFER TO DETAIL 200.06 FOR SPECIFIC INFORMATION REGARDING DRAINAGE.
4. THE DRIVEWAY GRADES SHALL NOT EXCEED 3.0% WITHIN THE FIRST 20' OFF OF THE EDGE OF THE TRAVELED WAY. BEYOND THAT, THE MAXIMUM GRADE SHALL BE 14%.
5. DRIVEWAYS EXCEEDING 900' IN LENGTH SHALL INCLUDE PULL-OFFS FOR EMERGENCY VEHICLES. THE NUMBER AND PLACEMENT OF PULL-OFFS SHALL BE DETERMINED BY THE TOWN OF ESSEX.
6. ~~ALL CURB CUT DRIVE APRONS SHALL BE PAVED. FOR DRIVES WITH SIDEWALKS WITHIN THE RIGHT-OF-WAY, THE PAVED APRON SHALL EXTEND 30' BACK FROM THE BACK EDGE OF THE SIDEWALK. FOR DRIVES WITH NO PEDESTRIAN FACILITY, THE APRON SHALL EXTEND 50' FROM THE EDGE OF THE TRAVELED WAY.~~

*DDG*



TOWN OF ESSEX  
PUBLIC WORKS  
51 MAIN STREET  
ESSEX JCT., VT  
05452  
P: 802 878-1344  
F: 802 878-1355  
E: www.essex.org

TOWN OF ESSEX, VERMONT  
STANDARD SPECIFICATIONS FOR CONSTRUCTION

DRIVEWAY (TYPE A)


Detail No:	100.10
Scale:	NOT TO SCALE
Date:	JAN. 2017

**A-10**

BERM AS NECESSARY TO MAINTAIN DEPTH AND 0.005 FT./FT. MIN. SLOPE IN DITCH

PROVIDE 4" TOPSOIL SEED, FERTILIZE, AND MULCH

EXISTING GROUND



**GRASS LINED SWALE**


BERM AS NECESSARY TO MAINTAIN DEPTH AND 0.005 FT./FT. MIN. SLOPE IN DITCH

PROVIDE 4" TOPSOIL SEED, FERTILIZE, AND MULCH

PROVIDE 18" DEPTH SEE NOTE 3

PROVIDE MIRAFI FILTER FABRIC

EXISTING GROUND



**STONE LINED SWALE**

**NOTES:**

1. THE CONTRACTOR SHALL MAINTAIN THE GRASS LINED SWALE AND RESTORE EROSION PREVENTION MEASURES AFTER EACH STORM EVENT. SEE SECTION 500 OF THESE SPECIFICATIONS FOR FURTHER DIRECTION ON EROSION AND SEDIMENT CONTROL MEASURES.
2. STONE LINED SWALES SHALL BE USED FOR GRADES IN EXCESS OF 0.05 FT/FT (5.0%)
3. DITCHES SHALL BE LINED WITH A COMBINATION OF TYPE 1 STONE & 8" MINUS AS APPROVED BY THE TOWN OF ESSEX PUBLIC WORKS DEPARTMENT.




TOWN OF ESSEX  
PUBLIC WORKS  
81 MAIN STREET  
ESSEX JCT., VT  
05452  
P: 802 879-1344  
F: 802 879-1355  
E: www.essex.org

TOWN OF ESSEX, VERMONT  
STANDARD SPECIFICATIONS FOR CONSTRUCTION

**DRAINAGE SWALES**

Detail No: 200.06  
Scale: NOT TO SCALE  
Date: JAN. 2017

**A-19**



**LOT 1**  
±103.9 ACRES




29 JULY, 2025


<b>ALEXANDER WHITE-BUSHEY &amp; STEVE WHITE</b>			
<b>LOT 1 SITE PLAN</b>			
DATE	07/29/25	FOR: Steve White & Alexander White-Bushey	
APPROVED DATE	07/29/25	67 Brigham Hill Lane	
D.A.T.		Essex, Vermont	
SCALE	1" = 200'	SHEET	1
		PROJECT NO.	3102

**LEGEND**

- IRON PIPE FOUND
- CALCULATED POINT
- ⊙ DRILLED WELL
- UTILITY POLE
- PROPERTY LINE
- EASEMENT/RIGHT-OF-WAY
- TOWN LINE
- AERIAL POWER/UTILITY
- BURIES POWER/UTILITY



**SUBJECT PARCEL:**  
OWNERS OF RECORD:  
ALEXANDER C. WHITE-BUSHEY & STEVE WHITE  
V.B.K. 1010, PGS. 618-619  
PARCEL I.D.# 2017001002  
SPAN # 207-087-41802



DAVID A. TUOHOPE  
74 CAYUGA COURT  
FELTON, VERMONT 05408  
TEL: 802-255-1550  
d.tuohope@aol.com  
REGISTERED LAND SURVEYOR 538  
SITE TECHNICIAN B # 230

CHRISTOPHER & KYLAN COULTER  
119 BRIGHAM HILL LANE  
PARCEL 2013211003

I hereby certify that the design-related information submitted with this application is true and correct, and that, in the exercise of my reasonable professional judgment, the design included in this application for a permit complies with all applicable laws, rules, regulations and Public Water Supply Rules and the Vermont Water Supply Rules.

N/F RICHARD HENRY  
31 BRIGHAM HILL LANE  
PARCEL 2017003000

N/F RICHARD HENRY  
31 BRIGHAM HILL LANE  
PARCEL 2017003000

N/F WINGOOD VALLEY PARK DISTRICT  
(COLCHESTER FOND REC.)  
PARCEL OF-026003-0000000

N/F DONNA JACOB  
54 BRIGHAM HILL LANE  
PARCEL 2017001001

N/F ALEX PUTNAM & SARA ROCAN  
78 BRIGHAM HILL LANE  
PARCEL 2017001003

N/F GORDY MURPHY & SARA ROCAN  
75 BRIGHAM HILL LANE  
PARCEL 2017001000

N/F SCOTT GUY LIFE ESTATE  
95 BRIGHAM HILL LANE  
PARCEL 2017002001

N/F ALEXANDER C. WHITE-BUSHEY  
PARCEL 2013016000

N/F WINGOOD VALLEY PARK DISTRICT  
(V.B.K. REC.)  
PARCEL 2017003001

THIS IS NOT A SURVEY



State of Vermont  
Department of Environmental Conservation

Agency of Natural Resources  
Drinking Water and Groundwater Protection Division

## WASTEWATER SYSTEM AND POTABLE WATER SUPPLY PERMIT

### LAWS/REGULATIONS INVOLVED

10 V.S.A. Chapter 64, Potable Water Supply and Wastewater System Permit  
Wastewater System and Potable Water Supply Rules, Effective November 6, 2023

**Permittee(s):** Alexander White-Bushey  
Steve White  
40 Rollin Irish Rd.  
Milton, VT 05468

**Permit Number:** WW-4-6416

This permit affects the following property/properties in Essex, Vermont:

Lot	Parcel	SPAN	Acres	Book(s)/Page(s)#
1	2017001002	207-067-41802	103.90	Book:1010 Page(s):618-619

This application consists of the construction of a 6-bedroom single-family residence on an existing lot, served by an on-site drilled well water supply and wastewater disposal systems, located at 67 Brigham Hill Rd., in Essex, Vermont, is hereby approved under the requirements of the regulations named above subject to the following conditions. Any person aggrieved by this permit may appeal to the Environmental Court within 30 days of the date of issuance of this permit in accordance with 10 V.S.A. Chapter 220 and the Vermont Rules of Environmental Court Proceedings.

### 1. GENERAL

- 1.1. The permittee is responsible for recording this permit in the Essex Land Records within 30 days of issuance of this permit and prior to the conveyance of any lot subject to the jurisdiction of this permit.
- 1.2. The permittee is responsible for recording the design and installation certifications and other documents that are required to be filed under these Rules or under a permit condition in the Essex Land Records.
- 1.3. Each assign or successor in interest shall be shown a copy of the Wastewater System and Potable Water Supply Permit and the stamped plan(s) prior to the conveyance of a lot.
- 1.4. By acceptance of this permit, the permittee agrees to allow representatives of the State of Vermont access to the property covered by the permit, at reasonable times, for the purpose of ascertaining compliance with the Vermont environmental and health statutes and regulations, and permit conditions.
- 1.5. The Drinking Water and Groundwater Protection Division relied upon the Vermont Licensed Designer's certification that the design-related information submitted is true and correct and complies with the Wastewater System and Potable Water Supply Rules. This permit may be revoked if it is determined the design of the wastewater system or potable water supply does not comply with these rules.
- 1.6. This permit does not relieve the landowner from obtaining all other approvals and permits from other State Agencies or Departments or local officials prior to construction.

### 2. CONSTRUCTION

- 2.1. Construction shall be completed as shown on the plans and/or documents prepared by David Tudhope, with the stamped plans listed as follows:



Title	Sheet #	Plan Date	Revision
Alexander White-Bushey & Steve White Lot 1 Site Plan	1	07/28/2025	N/A
White-Bushey Septic & Water Plan	2	07/28/2025	N/A
White-Bushey Septic & Water Details	3	07/28/2025	N/A

- 2.2. Construction of wastewater systems or potable water supplies, or buildings or structures (as defined by the Wastewater System and Potable Water Supply Rules), or campgrounds, not depicted on the stamped plans, or identified in this permit, is not allowed without prior approval by the Drinking Water and Groundwater Protection Division.
- 2.3. No buildings, roads, water pipes, sewer services, earthwork, re-grading, excavation, or other construction that might interfere with the operation of a wastewater system or a potable water supply are allowed on or near the site-specific wastewater system, wastewater replacement area, or potable water supply depicted on the stamped plans. Adherence to all isolation distances that are set forth in the Wastewater System and Potable Water Supply Rules is required.

### 3. INSPECTIONS

- 3.1. No permit issued by the Secretary shall be valid for a substantially completed potable water supply and wastewater system until the Secretary receives a signed and dated certification from a qualified Vermont Licensed Designer (or where allowed, the installer) on a Secretary-approved form that states:

*"I hereby certify that, in the exercise of my reasonable professional judgment, the installation-related information submitted is true and correct and the potable water supply and wastewater system were installed in accordance with the permitted design and all permit conditions, were inspected, were properly tested, and have successfully met those performance tests."*

or which satisfies the requirements of §1-311 of the referenced rules.

- 3.2. Prior to the use of the potable water supply, the permittee shall test the water for Arsenic, Escherichia coli (E. coli), Fluoride, Lead, Manganese, Nitrate as N, Nitrite as N, Total Coliform Bacteria, Uranium, Adjusted Gross Alpha Particle Activity, Chloride, Sodium, Iron, and pH. The Lead sample shall be a first-draw. All water quality tests shall be conducted at a laboratory certified by the Vermont Department of Health (a list of which can be found on the VDH website). Results of the water tests shall be submitted to the Vermont Department of Health prior to use or within 60 days of the submission of the Installation Certification required in Condition 3.1, whichever comes first.

### 4. DESIGN FLOW

- 4.1. The following table provides the flows that the wastewater system and potable water supply are designed to accept based on existing and proposed lot and building uses. The design flows in gallons per day (gpd) in the following table are derived from section 1-803 of the Rules:

Lot	Building	Building Use / Design Flow Basis	Wastewater (gpd)	Water (gpd)
1	Proposed	Residential Living Unit with 6-bedrooms (based on 12-person occupancy)	840	840

- 4.2. The table above reflects the designed capacity for wastewater systems and potable water supplies derived from the uses documented in the permit application. If additional capacities are needed, a permit amendment will be required for the total design flows.

### 5. WASTEWATER SYSTEM

- 5.1. Prior to construction or site work, a designer shall flag the proposed leachfield, and the owner shall maintain the flags until commencement of construction of the system.
- 5.2. Should the wastewater system fail and not qualify as a minor repair or for an exemption, the landowner shall engage a qualified Licensed Designer to evaluate the cause of the failure and submit an application to the Drinking Water and Groundwater Protection Division, and obtain approval thereof, prior to correcting the failure.

5.3. This permit does not relieve the permittee of the obligations of Title 10, Chapter 48, Subchapter 4, for the protection of groundwater.

**6. POTABLE WATER SUPPLY**

6.1. Prior to construction or site work, a designer shall flag the center of the proposed potable water source and the owner shall maintain the flag until commencement of construction of the source.

6.2. Should the potable water supply fail and not qualify as a minor repair or for an exemption, the landowner shall engage a qualified Licensed Designer to evaluate the cause of the failure and submit an application to the Drinking Water and Groundwater Protection Division, and obtain approval thereof, prior to correcting the failure.

Julia S. Moore, Secretary  
Agency of Natural Resources


By   
Denise Johnson-Terk  
Environmental Analyst VI  
Essex Junction Regional Office  
Drinking Water and Groundwater Protection Division

Dated September 4, 2025

cc: David Tudhope

**LOT 1 WASTEWATER SYSTEM DESIGN**

**BASIS OF DESIGN:**  
 SIX (6) BEDROOM SINGLE-FAMILY RESIDENCE,  
 140gpd/bed/m. x 6 bed/m. = 840 gal./day.  
**DESIGN CONDITIONS:**  
 ±1¼% GRADE, SHWT @ 24"  
 SOIL TEXTURE = SANDY LOAM  
 840/1.0gpd/ft = 840cf OF ABSORPTION AREA REQUIRED.  
 USE BED TO X.BE. = 840sf  
 840cf AVAILABLE => 840sf REQUIRED.  
 24" (TO SHWT) + 12" FILL = 36" FROM BOTTOM  
 OF BED TO SHWT.  
 USE 12" MOUND SAND BELOW BED



**FIELD NOTES:**  
 THE LAND AREA, DOWNSTREAM OF THE ELEVATED SAND MOUND  
 IS THE EFFLUENT DISPOSAL AREA AND THE SIZE OF THIS AREA  
 IS BASED ON THE ASSUMPTION THAT THE SAND MOUND WILL  
 BE MAINTAINED AT ALL TIMES.  
 THE SAND MOUND SHALL BE MAINTAINED AT ALL TIMES.  
 THE SAND MOUND SHALL BE MAINTAINED AT ALL TIMES.  
 THE SAND MOUND SHALL BE MAINTAINED AT ALL TIMES.

**TEST PIT 1**  
 0'-8" 10R 2/3 OR SL FINALE.  
 8'-8" 10R 2/3 OR SL FINALE.  
 16'-8" 10R 2/3 OR SL FINALE.  
 24'-8" 10R 2/3 OR SL FINALE.  
 32'-8" 10R 2/3 OR SL FINALE.  
 40'-8" 10R 2/3 OR SL FINALE.  
 48'-8" 10R 2/3 OR SL FINALE.  
 56'-8" 10R 2/3 OR SL FINALE.  
 64'-8" 10R 2/3 OR SL FINALE.  
 72'-8" 10R 2/3 OR SL FINALE.  
 80'-8" 10R 2/3 OR SL FINALE.  
 88'-8" 10R 2/3 OR SL FINALE.  
 96'-8" 10R 2/3 OR SL FINALE.  
 104'-8" 10R 2/3 OR SL FINALE.  
 112'-8" 10R 2/3 OR SL FINALE.  
 120'-8" 10R 2/3 OR SL FINALE.  
 128'-8" 10R 2/3 OR SL FINALE.  
 136'-8" 10R 2/3 OR SL FINALE.  
 144'-8" 10R 2/3 OR SL FINALE.  
 152'-8" 10R 2/3 OR SL FINALE.  
 160'-8" 10R 2/3 OR SL FINALE.  
 168'-8" 10R 2/3 OR SL FINALE.  
 176'-8" 10R 2/3 OR SL FINALE.  
 184'-8" 10R 2/3 OR SL FINALE.  
 192'-8" 10R 2/3 OR SL FINALE.  
 200'-8" 10R 2/3 OR SL FINALE.  
 208'-8" 10R 2/3 OR SL FINALE.  
 216'-8" 10R 2/3 OR SL FINALE.  
 224'-8" 10R 2/3 OR SL FINALE.  
 232'-8" 10R 2/3 OR SL FINALE.  
 240'-8" 10R 2/3 OR SL FINALE.  
 248'-8" 10R 2/3 OR SL FINALE.  
 256'-8" 10R 2/3 OR SL FINALE.  
 264'-8" 10R 2/3 OR SL FINALE.  
 272'-8" 10R 2/3 OR SL FINALE.  
 280'-8" 10R 2/3 OR SL FINALE.  
 288'-8" 10R 2/3 OR SL FINALE.  
 296'-8" 10R 2/3 OR SL FINALE.  
 304'-8" 10R 2/3 OR SL FINALE.  
 312'-8" 10R 2/3 OR SL FINALE.  
 320'-8" 10R 2/3 OR SL FINALE.  
 328'-8" 10R 2/3 OR SL FINALE.  
 336'-8" 10R 2/3 OR SL FINALE.  
 344'-8" 10R 2/3 OR SL FINALE.  
 352'-8" 10R 2/3 OR SL FINALE.  
 360'-8" 10R 2/3 OR SL FINALE.  
 368'-8" 10R 2/3 OR SL FINALE.  
 376'-8" 10R 2/3 OR SL FINALE.  
 384'-8" 10R 2/3 OR SL FINALE.  
 392'-8" 10R 2/3 OR SL FINALE.  
 400'-8" 10R 2/3 OR SL FINALE.  
 408'-8" 10R 2/3 OR SL FINALE.  
 416'-8" 10R 2/3 OR SL FINALE.  
 424'-8" 10R 2/3 OR SL FINALE.  
 432'-8" 10R 2/3 OR SL FINALE.  
 440'-8" 10R 2/3 OR SL FINALE.  
 448'-8" 10R 2/3 OR SL FINALE.  
 456'-8" 10R 2/3 OR SL FINALE.  
 464'-8" 10R 2/3 OR SL FINALE.  
 472'-8" 10R 2/3 OR SL FINALE.  
 480'-8" 10R 2/3 OR SL FINALE.  
 488'-8" 10R 2/3 OR SL FINALE.  
 496'-8" 10R 2/3 OR SL FINALE.  
 504'-8" 10R 2/3 OR SL FINALE.  
 512'-8" 10R 2/3 OR SL FINALE.  
 520'-8" 10R 2/3 OR SL FINALE.  
 528'-8" 10R 2/3 OR SL FINALE.  
 536'-8" 10R 2/3 OR SL FINALE.  
 544'-8" 10R 2/3 OR SL FINALE.  
 552'-8" 10R 2/3 OR SL FINALE.  
 560'-8" 10R 2/3 OR SL FINALE.  
 568'-8" 10R 2/3 OR SL FINALE.  
 576'-8" 10R 2/3 OR SL FINALE.  
 584'-8" 10R 2/3 OR SL FINALE.  
 592'-8" 10R 2/3 OR SL FINALE.  
 600'-8" 10R 2/3 OR SL FINALE.  
 608'-8" 10R 2/3 OR SL FINALE.  
 616'-8" 10R 2/3 OR SL FINALE.  
 624'-8" 10R 2/3 OR SL FINALE.  
 632'-8" 10R 2/3 OR SL FINALE.  
 640'-8" 10R 2/3 OR SL FINALE.  
 648'-8" 10R 2/3 OR SL FINALE.  
 656'-8" 10R 2/3 OR SL FINALE.  
 664'-8" 10R 2/3 OR SL FINALE.  
 672'-8" 10R 2/3 OR SL FINALE.  
 680'-8" 10R 2/3 OR SL FINALE.  
 688'-8" 10R 2/3 OR SL FINALE.  
 696'-8" 10R 2/3 OR SL FINALE.  
 704'-8" 10R 2/3 OR SL FINALE.  
 712'-8" 10R 2/3 OR SL FINALE.  
 720'-8" 10R 2/3 OR SL FINALE.  
 728'-8" 10R 2/3 OR SL FINALE.  
 736'-8" 10R 2/3 OR SL FINALE.  
 744'-8" 10R 2/3 OR SL FINALE.  
 752'-8" 10R 2/3 OR SL FINALE.  
 760'-8" 10R 2/3 OR SL FINALE.  
 768'-8" 10R 2/3 OR SL FINALE.  
 776'-8" 10R 2/3 OR SL FINALE.  
 784'-8" 10R 2/3 OR SL FINALE.  
 792'-8" 10R 2/3 OR SL FINALE.  
 800'-8" 10R 2/3 OR SL FINALE.  
 808'-8" 10R 2/3 OR SL FINALE.  
 816'-8" 10R 2/3 OR SL FINALE.  
 824'-8" 10R 2/3 OR SL FINALE.  
 832'-8" 10R 2/3 OR SL FINALE.  
 840'-8" 10R 2/3 OR SL FINALE.  
 848'-8" 10R 2/3 OR SL FINALE.  
 856'-8" 10R 2/3 OR SL FINALE.  
 864'-8" 10R 2/3 OR SL FINALE.  
 872'-8" 10R 2/3 OR SL FINALE.  
 880'-8" 10R 2/3 OR SL FINALE.  
 888'-8" 10R 2/3 OR SL FINALE.  
 896'-8" 10R 2/3 OR SL FINALE.  
 904'-8" 10R 2/3 OR SL FINALE.  
 912'-8" 10R 2/3 OR SL FINALE.  
 920'-8" 10R 2/3 OR SL FINALE.  
 928'-8" 10R 2/3 OR SL FINALE.  
 936'-8" 10R 2/3 OR SL FINALE.  
 944'-8" 10R 2/3 OR SL FINALE.  
 952'-8" 10R 2/3 OR SL FINALE.  
 960'-8" 10R 2/3 OR SL FINALE.  
 968'-8" 10R 2/3 OR SL FINALE.  
 976'-8" 10R 2/3 OR SL FINALE.  
 984'-8" 10R 2/3 OR SL FINALE.  
 992'-8" 10R 2/3 OR SL FINALE.  
 1000'-8" 10R 2/3 OR SL FINALE.

I hereby certify that the design-related information submitted with this application is true and correct and that, in the exercise of my reasonable professional judgment, the design included in this application for a permit complies with Vermont state and local laws, rules, regulations, codes, and standards and the Vermont Water Supply Rules.

**DAVID A. TURNOPE**  
 CIVIL ENGINEER  
 BURLINGTON, VERMONT 05408  
 TEL.: (802) 882-9360  
 REGISTERED LAND SURVEYOR 538  
 SITE TECHNICIAN # 230



30 JULY, 2025

<b>WHITE-BUSHEY</b>	
<b>SEPTIC &amp; WATER PLAN</b>	
DATE	Port, Steve White
D.P.C.	& At White-Bushey
APPROVED	87 Brigham Hill Lane
DATE	Essex, Vermont
D.A.T.	PROJECT NO.
SHEET	3102
SCALE	1" = 30'





Garage  
32x32

House  
32x40

Porch



Existing  
Driveway to  
be extended

Google

Brigham Hill Ln

Brigham Hill Ln

Brigh



Driveway extension

